GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS - PR&RD Dept. –RWS&S- Srikakulam District- Irregularities in execution of "CPWS Scheme to Etcherla and other habitations" in Srikakulam District - Disciplinary proceedings initiated against Sri R.Ravindranath, the then Superintending Engineer, RWS&S Circle, Srikakulam and (5) others - WSDs submitted - Appointment of Inquiry Officer and Presenting Officer under sub-rule (2) and (5) of Rule 20 of APCS (CC&A) Rules, 1991- orders – Issued.

- - - -

7. The Inquiry Officer is requested to conduct Inquiry strictly in terms of Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 and submit his report as required under sub-rule18 (ii) of the said Rule. Copies of the charge Memos issued to the Charged Officers and the Written Statements of Defence submitted by them are herewith furnished to the Enquiry Officer as required under Rule 20 (7) of Andhra Pradesh Civil Services (CC&A) Rules, 1991.

(BY ORDRER AND IN THE NAME OF THE GOVERNOR OF ANDHRAPRADESH)

ANIL CHANDRA PUNETHA
PRINCIPAL SECRETARY TO GOVERNMENT(PR&RWS)I/C

To
The individuals through Engineer in- Chief, Rural Water Supply & Sanitation, A.P, Vashuda Shelters, Saipuram colony road, one centre, Gollapudi, Vijayawada.

Sri Sri G.Veerapratap, Chief Engineer, RWS&S
(Inquiry Officer) Vashuda Shelters, Saipuram colony road, one centre, Gollapudi, Vijayawada (w.e.).

Sri T.Prabhakar Rao, Chief Engineer(V&QC), RWS&S, (Presenting Officer) Vashuda Shelters, Saipuram colony road, one centre, Gollapudi, Vijayawada (w.e.)

The Engineer-in-Chief, Rural Water Supply & Sanitation, Vashuda Shelters, Saipuram colony road, one centre, Gollapudi, Vijayawada with a request to serve the Charged Officers and furnish served copies to the Government.

SF/SC.

//FORWARDED::BY ORDER//

SECTION OFFICER